XINDA
CLOVER
WORKSTATION EXPERT

Xinda Clover Industry Co.,Ltd
Http: www.xdo.com.cn

T8

WORKSTATION

T8

WORKSTATION

T8特点：

1.屏风厚度60mm，整板式屏风，铝制框架。

2.安装快速简便。

3.可以与T3屏风（T=32mm)厚薄连接，提供更多造型、更经济的解决方案。

4.提供更快更经济的房间间断方案。

5.能够构成多种的弧形接待台。

T8 features：

1、Partition thickness=60mm，panel-base system,aluminum frame.

2、Easy to assemble and adjust.

3、Allow to join with T3 partition(T=32mm). Provide more economic solutions and more configurations.

4、Provide a fast and economic solution to build a room.

5、Make curved partition and build reception desk.

Simple
Practical
Affordable.

T8 CLOVER
WORKSTATION EXPERT



顶侧接头 end triming

T型连接 3 ways connection

十字连接 4 ways connection

L型连接 2 ways connection

T8 CLOVER
WORKSTATION EXPERT

SERIES-1

T8-WS07-A

T8 CLOVER
WORKSTATION EXPERT

长条型工作组既可以互相交流也提供独立的工作空间，是小型团队的理想选择。
Bench design allows communication when necessary and also provides individual space.

高屏风提供充裕的私人空间，头顶吊柜增大收纳能力，而矮屏风则能提供交流的窗口。
High partition gives more privacy and offers supporting for overhead storage.Low partition allows communication when necessary.

SERIES-2

T8-WS04-D

SERIES-3

T8-WS04-C

SERIES-4

T8-WS02-D

团队空间需要结合个人奋斗与团队合作。这个联合的空间既允许团队个体之间有合理的隐私，亦鼓励大量的沟通交流。
It is mixing individual and group work. The combined spaces allow team members have balanced privacy. This team environment also encourages vistors and brief exchanges of information.

给使用者一个视觉上和听觉上与团队隔离的空间，并提供独立的存储柜，使其能专心一致。
Provide space visually and acoustically separated from team space to allow for concentration.And give users individual storage for a variety of materials.

Thin-wide Connection

厚薄连接

Main spine is in thick 60mm partition. It gives a strong outlook and allow large wires capacity.
Thin divider is in thick 32mm partition. It increases the privacy, less the cost, and add configuration intelligence.

脊梁是60mm厚度的屏风,它有着稳厚的外形和大容量过线量.
薄隔断是32mm厚度的屏风. 它提高了隐私的级别,节省了开支,增加造型的优雅性.

3向厚薄连接 3 ways thin-wide connection

叠加玻璃 Added-on glass

T8隔墙系统让你能够简易组织划分空间。在不损伤墙体、天花的原则下，使用T8活动间墙能够根据你的需要划分出不同的空间--适于团队合作的空间或适于个体工作的空间，并可方便地根据潜在的需要作出适当的调整。
T8 wall system helps you easy to organize space. In the principle of no damaging to the wall and ceiling, it is easy to use T8 to design different area according to your requirement--space for team working or space for individual. And you can easy to make adjustment according to future requirement.

T8 CLOVER
WORKSTATION EXPERT

T8 CLOVER
WORKSTATION EXPERT

你的风采你的办公室,
多种的材质选择，不同的颜色搭配，总能找到符合你的风格
Your office your style
You can always find the way fit your character by different kind of materials and colors matching.

Reception desk

接待前台是每个公司给人的第一印象，是沟通获取信息的第一站。它向客户和公司员工揭示公司的架构和文化。
T8接待系列的单元化结构利用几个标准的模块演绎出多种的适合不同场景的接待前台，产品线条简单而饱含优雅。

The reception desk is the first impression and access point for information and communication.
The company's structure and culture are revealed to both customers and staff.
T8 system through a few standard blocks gives reception desks for different locations. It is simple but elegancy.

T8 CLOVER
WORKSTATION EXPERT

不懈追求完美 The relentless pursuit of perfection.

Reception desk

典型组合 Typical receptions

RC-D1-BG-TG

RC-L3-BG-UW

RC-M2-BG-UW

RC-S3-WN-TG

RC-U2-WN-TG



RC-D2-WN-UW

Element
配件元素表

T8典型工作位 Typical configuration for T8



T8-WS02-A



T8-WS04-A



T8-WS05-A



T8-WS02-B



T8-WS04-B



T8-WS03-A



T8-WS04-C



T8-WS02-C



T8-WS01-A

厚薄连接典型工作位(T8-T3) Thin-wide connection typical configuration (T8-T3)

T8-T3-WS02-A



T8-T3-WS04-A



T8-T3-WS08-A

T8元素表 T8 elements

储存柜元素 storages elements

Code	Size(mm)
Cb-Bc0607-S-**	W600*D400*H750
Cb-Bc0707-S-**	W750*D400*H750
Cb-Bc0807-S-**	W800*D400*H750
Cb-Bc0907-S-**	W900*D400*H750
Cb-Bc0612-S-**	W600*D400*H1180
Cb-Bc0712-S-**	W750*D400*H1180
Cb-Bc0812-S-**	W800*D400*H1180
Cb-Bc0912-S-**	W900*D400*H1180
Cb-Bc0616-S-**	W600*D400*H1600
Cb-Bc0716-S-**	W750*D400*H1600
Cb-Bc0816-S-**	W800*D400*H1600
Cb-Bc0916-S-**	W900*D400*H1600

Code	Size(mm)
Cb-QBC0407-S-**	W400*D400*H750
Cb-QBC0412-S-**	W400*D400*H1180
Cb-QBC0416-S-**	W400*D400*H1600

Code	Size(mm)
Cb-SCP-1206-**	W1200*D500*H660

Code	Size(mm)
Cb-Fd0607-S-**	W600*D400*H750
Cb-Fd0707-S-**	W750*D400*H750
Cb-Fd0807-S-**	W800*D400*H750
Cb-Fd0907-S-**	W900*D400*H750
Cb-Fd0612-S-**	W600*D400*H1180
Cb-Fd0712-S-**	W750*D400*H1180
Cb-Fd0812-S-**	W800*D400*H1180
Cb-Fd0912-S-**	W900*D400*H1180
Cb-Fd0616-S-**	W600*D400*H1600
Cb-Fd0716-S-**	W750*D400*H1600
Cb-Fd0816-S-**	W800*D400*H1600
Cb-Fd0916-S-**	W900*D400*H1600

Code	Size(mm)
Cb-SCW-1206-**	W1200*D500*H660

Code	Size(mm)
PD-W-FF-2-**	W410*D570*H660

Code	Size(mm)
Cb-SCG-1206-**	W1200*D500*H660

Code	Size(mm)
PD-W-BBF-2-**	W410*D570*H640

Code	Size(mm)
Cb-Fg0607-S-**	W600*D400*H750
Cb-Fg0707-S-**	W750*D400*H750
Cb-Fg0807-S-**	W800*D400*H750
Cb-Fg0907-S-**	W900*D400*H750
Cb-Fg0612-S-**	W600*D400*H1180
Cb-Fg0712-S-**	W750*D400*H1180
Cb-Fg0812-S-**	W800*D400*H1180
Cb-Fg0912-S-**	W900*D400*H1180
Cb-Fg0616-S-**	W600*D400*H1600
Cb-Fg0716-S-**	W750*D400*H1600
Cb-Fg0816-S-**	W800*D400*H1600
Cb-Fg0916-S-**	W900*D400*H1600
Cb-Fg0621-S-**	W600*D400*H2100
Cb-Fg0721-S-**	W750*D400*H2100
Cb-Fg0821-S-**	W800*D400*H2100
Cb-Fg0921-S-**	W900*D400*H2100



Code	Size(mm)
Cb-Sd0707-S-**	W750*D400*H750
Cb-Sd0807-S-**	W800*D400*H750
Cb-Sd0907-S-**	W900*D400*H750
Cb-Sd0712-S-**	W750*D400*H1180
Cb-Sd0812-S-**	W800*D400*H1180
Cb-Sd0912-S-**	W900*D400*H1180

Code	Size(mm)
HC-BS06-**	W600*D350*H420
HC-BS07-**	W750*D350*H420
HC-BS08-**	W800*D350*H420
HC-BS09-**	W900*D350*H420
HC-BS10-**	W1050*D350*H420

Code	Size(mm)
Cb-Gc0716-S-**	W750*D400*H1600
Cb-Gc0816-S-**	W800*D400*H1600
Cb-Gc0916-S-**	W900*D400*H1600

T8
WORKSTATION

工作台面汇总 Worktops



编码（code）	规格（size）	编码（code）	规格（size）	编码（code）	规格（size）	编码（code）	规格（size）
Tb-Lt-1206	1200*1200*600*600	Tb-Lt-1207	1200*1200*750*750	Tb-Ft-0906	900/600	Tb-St-0406	450*600
Tb-Lt-1506	1500*1500*600*600	Tb-Lt-1507	1500*1500*750*750	Tb-Ft-1006	1050/600	Tb-St-0506	500*600
Tb-Lt-1606	1600*1600*600*600	Tb-Lt-1607	1600*1600*750*750	Tb-Ft-0907	900/750	Tb-St-0606	600*600
Tb-Lt-1806	1800*1800*600*600	Tb-Lt-1807	1800*1800*750*750	Tb-Ft-1007	1050/750	Tb-St-0706	750*600
						Tb-St-0806	800*600
						Tb-St-0906	900*600
						Tb-St-1006	1050*600



编码（code）	规格（size）	编码（code）	规格（size）	编码（code）	规格（size）	编码（code）	规格（size）
Tb-St-0407	450*750	Tb-St-1206	1200*600	Tb-Cst-120608	1200*800*600	Tb-Cct-120608	1200*800*600
Tb-St-0507	500*750	Tb-St-1506	1500*600	Tb-Cst-150608	1500*800*600	Tb-Cct-150608	1500*800*600
Tb-St-0607	600*750	Tb-St-1806	1800*600	Tb-Cst-180608	1800*800*600	Tb-Cct-180608	1800*800*600
Tb-St-0707	750*750	Tb-St-1207	1200*750				
Tb-St-0807	800*750	Tb-St-1507	1500*750				
Tb-St-0907	900*750	Tb-St-1807	1800*750				
Tb-St-1007	1050*750						

编码（code）	规格（size）	编码（code）	规格（size）	编码（code）	规格（size）
Tb-Vt-0906	900*900*600*600	Tb-Ct-1203	1200*350	Tb-Ctl-0903	900*350
Tb-Vt-1006	1050*1050*600*600	Tb-Ct-1503	1500*350	Tb-Ctl-1003	1000*350
Tb-Vt-1206	1200*1200*600*600	Tb-Ct-1803	1800*350	Tb-Ctl-1203	1200*350



编码（code）	规格（size）	编码（code）	规格（size）	编码（code）	规格（size）
Tb-Ex-1504	1500*450	Tb-Pt-0906	900*600	Tb-1/2Rt-06	R600+
Tb-Ex-1604	1600*450	Tb-Pt-0907	900*750	Tb-1/2Rt-07	R750+
Tb-Ex-1804	1800*450				
Tb-Ex-1506	1500*600				
Tb-Ex-1606	1600*600				
Tb-Ex-1806	1800*600				

T8元素表 T8 elements

T8 分层系统 T8 Tiles instruction



without cable cannel 不带线槽板



with single cable channel in the middle 屏风中部带一线槽板



with single cable channel in the bottom 屏风底部带一线槽板



with double cable channel s 屏风带双层线槽板

Height 高度： H1000mm, H1100mm, H1200mm, H1500mm, H1650mm, H1800mm
Width 宽度： W450mm, W500mm, W600mm, W750mm, W800mm, W900mm , W1050mm, W1200mm, W1500mm

连接及修边 Connections &Trimings



L型连接 A 2 ways connectionA	L型连接 A 3 ways connectionA	十字连接 A 4 ways connection A	落差连接 End trim for variable height	侧封边 End trim	120 度 3 向连接 120 3 ways connection A	120 度 2 向连接 120 2 ways connectionA
T8-LCA10 H1000	T8-TCA10 H1000	T8-XCA10 H1000	T8-VH01 H100	T8-ET10 H1000	T8-120D3A10 H1000	T8-120D2A10 H1000
T8-LCA11 H1100	T8-TCA11 H1100	T8-XCA11 H1100	T8-VH015 H150	T8-ET11 H1100	T8-120D3A11 H1100	T8-120D2A11 H1100
T8-LCA12 H1200	T8-TCA12 H1200	T8-XCA12 H1200	T8-VH03 H300	T8-ET12 H1200	T8-120D3A12 H1200	T8-120D2A12 H1200
T8-LCA15 H1500	T8-TCA15 H1500	T8-XCA15 H1500	T8-VH04 H450	T8-ET15 H1500	T8-120D3A15 H1500	T8-120D2A15 H1500
T8-LCA16 H1650	T8-TCA16 H1650	T8-XCA16 H1650	T8-VH06 H600	T8-ET16 H1650	T8-120D3A16 H1650	T8-120D2A16 H1650
T8-LCA18 H1800	T8-TCA18 H1800	T8-XCA18 H1800		T8-ET18 H1800	T8-120D3A18 H1800	T8-120D2A18 H1800

支撑系统 Supporttives

T8大托臂
big bracket(L/R)
T8- DTB

T8小托臂
Small bracket(L/R)
T8- XTB

小挂臂
438 small bracket
XD-XTB



T8 双面托臂
T8 double side bracket
T3- SMTB

专用配件 Matching accessories



叠加玻璃
（ Add-on glass）

外挂槽板
（ external accessories rail）

A	
编码（ code）	规格（ size）
T8-GA06	H150/200*W600
T8-GA08	H150/200*W800
T8-GA10	H150/200*W1050

B	
编码（ code）	规格（ size）
T8-ACR06	W600
T8-ACR07	W750
T8-ACR08	W800
T8-ACR09	W900
T8-ACR10	W1050
T8-ACR12	W1200

T8
WORKSTATION

T8-T3 厚薄连接 T8-T3 thin-wide matching(T=32mm-60mm)

T3分层系统 T3 Tiles instruction



Without cable channel
不带线槽板



With single cable channel in the bottom
屏风底部带一线槽板

Height 高度： H1000mm,H1100mm,H1200mm,H1500mm,H1650mm
Width 宽度： W450mm,W500mm,W600mm,W750mm,W800mm,W900mm,W1050mm,W1200mm,W1500mm

T8分层系统 T8 Tiles instruction



With single cable channel in the bottom
屏风底部带一线槽板



With double cable channel
屏风带双层线槽板

Height 高度： H1000mm, H1100mm, H1200mm, H1500mm, H1650mm, H1800mm
Width 宽度： W450mm, W500mm, W600mm, W750mm, W800mm, W900mm，W1050mm, W1200mm, W1500mm

连接及修边 Connections &Trimings

T8 侧封边
T8 End trim

T8-ET10 H1000
T8-ET11 H1100
T8-ET12 H1200
T8-ET15 H1500
T8-ET16 H1650
T8-ET18 H1800

T3 侧封边
T3 End trim

T3-ET10 H1000
T3-ET11 H1100
T3-ET12 H1200
T3-ET15 H1500
T3-ET16 H1650
T3-ET18 H1800

L 型连接
2 ways connection

T8-T3-LCA10 H1000
T8-T3-LCA11 H1100
T8-T3-LCA12 H1200
T8-T3-LCA15 H1500
T8-T3-LCA16 H1650
T8-T3-LCA18 H1800

T 型连接
3 ways connection

T8-T3-TCA10 H1000
T8-T3-TCA11 H1100
T8-T3-TCA12 H1200
T8-T3-TCA15 H1500
T8-T3-TCA16 H1650
T8-T3-TCA18 H1800



十型连接
3 ways connection

T8-T3-XCA10 H1000
T8-T3-XCA11 H1100
T8-T3-XCA12 H1200
T8-T3-XCA15 H1500
T8-T3-XCA16 H1650
T8-T3-XCA18 H1800

支撑系统 Supportives

T8
WORKSTATION

T8双面托臂
T8 double side bracket
T3- SMTB

T8大托臂
big bracket(L/R)
T8- DTB

T8小托臂
Small bracket(L/R)
T8- XTB

小挂臂
438 small bracket
XD-XTB

T8 高隔元素表 T8 full height elements

T8 full height partition tiles instruction
T8 高隔分层系统



W=900/800/750/600/500/450mm
H=2100mm

Surface options:
* 三胺板 Melamine
* 布板 Fabric
* 玻璃 Glass
* 钢板 Metal sheet



地槽
(bottom groove)

编码 (code)	规格 (size)
T8-DC3600	L3600
T8-DC6000	L6000



上梁
(top bar)

编码 (code)	规格 (size)
T8-SL3600	L3600
T8-SL6000	L6000



边槽、调节柱
(wall starter)

编码 (code)	规格 (size)
T8-WS2100	H2100



上梁大角码
(corner stabilizer)

编码 (code)	规格 (size)
T8-SLDJM	/



L型连接系统
(L connection system)

编码 (code)	规格 (size)
T8-LCA2100	H2100



T型连接系统
(T connection system)

编码 (code)	规格 (size)
T8-TCA2100	H2100



X型连接系统
(X connection system)

编码 (code)	规格 (size)
T8-XCA2100	H2100

侧封边
(end triming)

编码 (code)	规格 (size)
T8-ET2100	H2100



全木掩门
(full solid swing door)

编码 (code)	规格 (size)
T8-YMW-2109	H2100*W900

全木掩门
(full solid swing door)

编码 (code)	规格 (size)
T8-YMG-2109	H2100*W900

趟门
(sliding door)

编码 (code)	规格 (size)
T8-TM-2110	H2100*W1050