

www.cloverfurniture.com

OFFICE POD



Xinda Clover Industry Limited Company Nanhai Foshan City
No.3 Xingye North Road, Shishan Nanhai Foshan City, Guangdong Province, P.R.China

Email : info@xdo.com.cn

TEL : +86 15627250054

Why Clover

Backed by Certification

Clover is experienced in standards and certificates in various countries.



Custom with low MOQ

Pod Market

Custom Sizing	Yes ✓	No
Custom Logo (Pod, Package)	Yes ✓	No
Custom Lighting Option	Yes ✓	Few
Back Wall Options (Panel, Glass)	Yes ✓	No
Electrical Location Options	Yes ✓	Few
Dimmer Option for Light and Fan (Knob, Touch panel)	Yes ✓	Few
Custom Glass Option	Yes ✓	No
Smart Door Handle	Yes ✓	No
Booking System Option	Yes ✓	No
Barrier-free Flooring	Yes ✓	Few
ADA Standard Design	Yes ✓	Few
20+ PET Panel Options	Yes ✓	No

※MOQ of custom is 4pcs

Why Clover

Unlocking Custom





Why Clover

ADA Pod


- ✓ Barrier-free Flooring
- ✓ Accessible Door Pull
- ✓ Automatic door opener
- ✓ ADA standard door
- ✓ Foldable furniture





Focus Pod

Enhance productivity with our working pod: height-adjustable table, writable board, and solid acoustic walls for focused work and collaboration.




ADA Pod

The pod is designed with line of the Americans with Disabilities Act (ADA) ensures access to the built environment for people with disabilities.



Sharing Phone Booth

Illuminate workspace with indicative lighting and height-adjustable table in our sleek office pod for enhanced productivity and style.




Small Talk Pod

Boost productivity with our compact, soundproof pod featuring a small stool and table. Perfect for focused work or meetings.



InterviewPod

Enhance privacy and professionalism in your workspace for seamless interviewing experiences.



Smart Pod


Effortlessly control workspace with smart tech. Collaborate seamlessly with multimedia, enhancing meetings with immersive presentations.

Detail Matters!

Designed for health and built for focus, Clover office pod moves with you. High-performance casters, integrated air circulation, and an ergonomic layout ensure you can do your best work in total comfort.



Airculation Fans



Inductive LED light



Casters



Door closer



Mastering **Acoustic Solution**

1 Sandwich Element



Composed of various high-density, eco-friendly, and fire-resistant materials enhances the sound insulation performance of the pod.

2 Sound Absorbing Foam

Reduces noise and echo by trapping and dissipating sound waves, enhancing acoustic quality and minimizing sound reflection within pod.


3 Acoustic Felt

Reduces noise and improves sound quality by absorbing and dampening sound waves



POD Series Features

Maximize your office space with our intelligently designed pods. They offer a compact, organized solution that can be easily integrated into any office layout, making them perfect for open-plan offices and small spaces alike.



Double glass door

Offer insulation, noise reduction, increased security, modern aesthetics, and enhanced durability.



Light strip slot

Adding a light strip enhances your pod's modern look.



Power Point

Slim design offers space efficiency, sleek aesthetics.

Invisible pivot

Seamless design hides pivot mechanism for enhancing visual appeal while maintaining functionality and durability.







S POD

Exterior
W1040*D1040*H2275mm / W40.9'*D40.9'*89.5'

Interior
W900*D900*H2100mm / W35.4'*D35.4'*H82.6'



W POD

Exterior
W1640*D1200*H2275mm / W64.5'*D47.2'*89.5'

Interior
W1500*D1060*H2100mm / W59.1'*D41.7'*H82.6'



M POD

Exterior
W2240*D1200*H2275mm / W86.6'*D47.2'*89.5'

Interior
W2100*D1060*H2100mm / W82.6'*D41.7'*H82.6'



L POD

Exterior
W2240*D1500*H2275mm / W86.6'*D59.1'*89.5'

Interior
W2100*D1360*H2100mm / W82.6'*D53.5'*H82.6'



HERE WE CAN
draw inspiration from our work


HERE WE TURN
learning into an eternal faith

time is money

Technical Specification

S POD

- Exterior Size:** W1040*D1040*H2275mm (with casters) / W40.9*D40.9*H89.5'
- Interior Size:** W900*D900*H2100mm / W35.4*D35.4*H82.6'
- Weight:** 310kgs / 684lb
- Wall:** 9MM polyester fiber board + 0.8MM galvanized steel plate + 50MM sound-absorbing cotton + 6MM gypsum board + 1.0MM galvanized steel plate
- Frames:** 6063-T5 aviation aluminum alloy.
- Roof:** 9MM polyester fiber board + 0.8MM galvanized steel plate + 50MM sound-absorbing cotton + 0.8MM galvanized steel plate.
- Bottom plate:** 5MM sound-absorbing +Wear-resistant carpet + 18MM waterproof calcium silicate board + base 6063-T5 aviation aluminum alloy.
- Glass:** 10mm tempered clear glass
5 and 5mm double layer hidden framed tempered glass with Magnetic lock, handle, Hidden hinges and door closer
- Coating:** High quality Powder electrostatic spraying. (As per AAMA 2603)
- Airflow:** Fans*2(1.56W, 2500rpm). Total air flow is 144.08m³/h; Air Replaced every 0.85 minute.
- Air quality:** Formaldehyde: 0.004mg/m³ (Maternal and infant grade standard 0.08mg/m³)
TVOC: 0.195mg/m³ (The reference value is less than 0.5mg/m³)
Benzene: 0.0034mg/m³(reference value is less than 0.005)
ISO 16000-3:2011;ISO 16000-6:2011)
- Noise reduction:** STC 30dB (±5dB)-(ASTM E565-96)
- Light:** Inductive LED-Light 4000 K (optional: manual switch/dimmer)
- Power consumption:** WHILE IN USE **9.6W** on standard configuration, input 100~240V 50-60Hz
- Outlet:** 1 integrated socket (black, 2 AC, 1USB,1-type c AC 220V, USB 5V 3.1A);
- Furniture:** Adjustable stool and desktop(600*300mm/11.8*23.6in)(optional)
Adjustable height desktop (optional)



MODEL

S POD

Ext. SIZE

W1040*D1040*H2275mm

Int. SIZE


W900*D900*H2100mm

PACKAGE DATA/S POD


2300*1100*625MM

1.45CBM

405KGS




15 SETS
20' CONTAINER



40 SETS
40' CONTAINER

W POD

- Exterior Size:** W1640*D1200*H2275mm(with casters) / W64.5'*D47.2'*89.5'
- Interior Size:** W1500*D1060*H2100mm / W59.1'*D41.7'*H82.6'
- Weight:** 480kgs / 1058lb
- Wall:** 9MM polyester fiber board + 0.8MM galvanized steel plate + 50MM sound-absorbing cotton + 6MM gypsum board + 1.0MM galvanized steel plate.
- Frames:** 6063-T5 aviation aluminum alloy.
- Roof:** 9MM polyester fiber board + 0.8MM galvanized steel plate + 50MM sound-absorbing cotton + 0.8MM galvanized steel plate.
- Bottom plate:** 5MM sound-absorbing +Wear-resistant carpet + 18MM waterproof calcium silicate board + base 6063-T5 aviation aluminum alloy.
- Glass:** 10mm tempered clear glass
5 and 5mm double layer hidden framed tempered glass with Magnetic lock, handle, Hidden hinges and door closer
- Coating:** High quality Powder electrostatic spraying. (As per AAMA 2603)
- Airflow:** Fans*2(8.1W, 750rpm .).Total air flow is 309.82m³/h; Air Replaced every 0.72 minute.
- Air quality:** Formaldehyde: 0.004mg/m³ (Maternal and infant grade standard 0.08mg/m³)
TVOC: 0.195mg/m³ (The reference value is less than 0.5mg/m³)
Benzene: 0.0034mg/m³(reference value is less than 0.005)
ISO 16000-3:2011;ISO 16000-6:2011)
- Noise reduction:** STC 30dB (±5dB)-(ASTM E565-96)
- Light:** Inductive LED-Light 4000 K (optional: manual switch/dimmer)
- Power consumption:** WHILE IN USE **27.6W** on standard configuration, input 100~240V 50-60Hz
- Outlet:** 1 integrated socket (black, 2 AC, 1USB,1-type c AC 220V, USB 5V 3.1A);
- Furniture:** Adjustable chair and desktop (600*1070mm/23.6*42.1in) (optional)
Erasable writing board; (optional)




MODEL

W POD


Ext. SIZE	W1640*D1200*H2275mm
Int. SIZE	W1500*D1060*H2100mm

PACKAGE DATA/W POD

2300*1310*755MM
2.27CBM
545KGS




12 SETS
20' CONTAINER



27 SETS
40' CONTAINER

M POD

- Exterior Size:** W2240*D1200*H2275mm(with casters) / W86.6'*D47.2'*89.5'
- Interior Size:** W2100*D1060*H2100mm / W82.6'*D41.7'*H82.6'
- Weight:** 560kgs / 1235lb
- Wall:** 9MM polyester fiber board + 0.8MM galvanized steel plate + 50MM sound-absorbing cotton + 6MM gypsum board + 1.0MM galvanized steel plate
- Frames:** 6063-T5 aviation aluminum alloy.
- Roof:** 9MM polyester fiber board + 0.8MM galvanized steel plate + 50MM sound-absorbing cotton + 0.8MM galvanized steel plate.
- Bottom plate:** 5MM sound-absorbing +Wear-resistant carpet + 18MM waterproof calcium silicate board + base 6063-T5 aviation aluminum alloy.
- Glass:** 10mm tempered clear glass
5 and 5mm double layer hidden framed tempered glass with Magnetic lock, handle, Hidden hinges and door closer
- Coating:** High quality Powder electrostatic spraying. (As per AAMA 2603)
- Airflow:** Fans*2(8.1W, 750rpm .). Total flow is 309.82m³/h; Air Replaced every 1.12 minute.
- Air quality:** Formaldehyde: 0.004mg/m³ (Maternal and infant grade standard 0.08mg/m³)
TVOC: 0.195mg/m³ (The reference value is less than 0.5mg/m³)
Benzene: 0.0034mg/m³(reference value is less than 0.005)
ISO 16000-3:2011;ISO 16000-6:2011)
- Noise reduction:** STC 30dB (±5dB)-(ASTM E565-96)
- Light:** Inductive LED-Light 4000 K (optional: manual switch/dimmer)
- Power consumption:** WHILE IN USE **27.6W** on standard configuration, input 100~240V 50-60Hz
- Outlet:** 1 integrated socket (black, 2 AC, 1USB ,1-type c AC 220V, USB 5V 3.1A);
- Furniture:** Sofa(1070*580*680mm/42*23*27in) and table (500*700*680mm/19.7*27.6*26.8in) (optional)
Erasable writing board; (optional)




MODEL

M POD


Ext. SIZE	W2240*D1200*H2275mm
Int. SIZE	W2100*D1060*H2100mm

PACKAGE DATA/M POD

2300*1300*875MM
2.62CBM
655KGS




8 SETS
20' CONTAINER



27 SETS
40' CONTAINER

L POD

- Exterior Size:** W2240*D1500*H2275mm (with casters) /W86.6'*D59.1'*89.5'
- Interior Size:** W2100*D1360*H2100mm / W82.6'*D53.5'*H82.6'
- Weight:** 590kgs / 1300lb
- Wall:** 9MM polyester fiber board + 0.8MM galvanized steel plate + 50MM sound-absorbing cotton + 6MM gypsum board + 1.0MM galvanized steel plate
- Frames:** 6063-T5 aviation aluminum alloy.
- Roof:** 9MM polyester fiber board + 0.8MM galvanized steel plate + 50MM sound-absorbing cotton + 0.8MM galvanized steel plate.
- Bottom plate:** 5MM sound-absorbing +Wear-resistant carpet + 18MM waterproof calcium silicate board + base 6063-T5 aviation aluminum alloy.
- Glass:** 10mm tempered clear glass
5 and 5mm double layer hidden framed tempered glass with Magnetic lock, handle, Hidden hinges and door closer
- Coating:** High quality Powder electrostatic spraying. (As per AAMA 2603)
- Airflow:** Fans*4(8.1W, 750rpm .). Total flow is 619.64m³/h; Air Replaced every 0.72 minute.
- Air quality:** Formaldehyde: 0.004mg/m³ (Maternal and infant grade standard 0.08mg/m³)
TVOC: 0.195mg/m³ (The reference value is less than 0.5mg/m³)
Benzene: 0.0034mg/m³(reference value is less than 0.005)
ISO 16000-3:2011;ISO 16000-6:2011)
- Noise reduction:** STC 30dB (±5dB)-(ASTM E565-96)
- Light:** Inductive LED-Light 4000 K (optional: manual switch/dimmer)
- Power consumption:** WHILE IN USE **47.6W** on standard configuration, input 100~240V 50-60Hz
- Outlet:** 1 integrated socket (black, 2 AC, 1USB ,1-type c AC 220V, USB 5V 3.1A);
- Furniture:** Sofa(1270*580*680mm/54*23*27in) and table (500*1000*680mm/19.7*39.4*26.8in)(optional)
Erasable writing board; (optional)



MODEL

L POD

Ext. SIZE

W2240*D1500*H2275mm

Int. SIZE


W2100*D1360*H2100mm

PACKAGE DATA/L POD


2300*1180*1060MM

2.88CBM

735KGS



8 SETS
20' CONTAINER



20 SETS
40' CONTAINER




Color **Swatches**

Exterior Color

Discover the perfect hue for your workspace with our extensive color swatch collection. Customize your office pod to reflect your unique style and brand identity.

EXTERIOR




White(standard)
B7185



Matt Black(standard)
B7184



Metal grey
B7186



Matte grey
B7188



Camel grey
B7182



Blue
RAL 5023



Yellow
B7180



Rose
RAL 3015



Purple
Pantone 666C

CARPET



C13100 grey
(standard)



C13122
green grey




C13122
blue grey



C13200

Discover the perfect hue for your workspace with our extensive color swatch collection. Customize your office pod to reflect your unique style and brand identity.



Discover the perfect hue for your workspace with our extensive color swatch collection. Customize your office pod to reflect your unique style and brand identity.



SF-1333
(standard)




SF-1300



SF-1301



SF-1302



SF-1303



SF-1306



SF-1307



SF-1309



SF-1310



SF-1313



SF-1314



SF-1316



SF-1318



SF-1319



SF-1321



SF-1322



SF-1324



SF-1325



SF-1327



SF-1328



SF-1329



SF-1334



SF-1337



SF-1339

Desktop



White (standard)
KL1630



Black
KLS028



KL8803



KLS003



KL1703



KL1200



KL9011



KL9005



KL938



KL0725



KL5086



KL0166



KL0544



KL8491